

# AECFUN 会易

Aecfun Commercial Equipment Co., Ltd

○ DTG Pre-treatment machine    ○ Media Dryer For Printer    ○ Sign Making Tools    ○ Take-up & Feeding System



[www.aecfun.com](http://www.aecfun.com)

2019

# About Aecfun

AECFUN Commercial Equipment Co.,Ltd was founded in 2013, specialized in manufacturing and selling auxiliary equipment of digital printer, such as take up system and media dryer for famous printer brand MUTOH, ROLAND, MIMAKI...etc.

Since 2015, AECFUN expanded production line, developed a series of advertising tools.

AECFUN always adheres to the concept of " Do not slight every product, treated with sincerity" ,

To guide independent development and promoting products under the refined management.

Focus on developing useful and practical advertising tools as our development goals.

# ACRYLIC BENDING MACHINE



## Acrylic Bending Machine ABM700/1300

Acrylic bending machine is also called plastic plate bending machine, soften and bend the plastic plate by heating.



Water pump and water tube.



Sample Pictures


YouTube

- **Application Materials**

Plastic plate: Acrylic, Plexiglass, PVC, PC, ABS, PP etc.

- **Available Size**


Sheet thickness 1-10mm, bending length  $\leq 650\text{mm}/\leq 1250\text{mm}$ .






**Temperature Adjustable: 0-600°C**

Temperature adjustable during 0-600°C, according to different thickness of sheet .





**Heating Gap Width Adjustable: 0-20mm**

According to different material and thickness of various sheets, heating gaps width can be adjustable.



**Circulating Water Cooling System**



Adopted advanced infrared heating technology and circulating water cooling system, ensure fast cooling.



**Angle Adjuster & Length Adjuster**

Available angle 0-160°/Available length 40-330mm. Ensures bending standardization and unification. Suitable for mass production.

**Demonstration**



**Special Version**

Equipped circulating cooling water system, replace the water after heavy and long time working, temperature up to 50°C. Ensure the machine cool completely, turn off the heating tube gap after working.

**Parameters**

Model	Theory	Applicable length	Applicable thickness	Voltage	Power	Temperature range	Packing size	Gross weight
ABM700	Thermal Forming	≤650mm	1-10mm	110V/220V	1000W	0-600°C	1250×430×210mm	25KG
ABM1300	Thermal Forming	≤1250mm	1-10mm	110V/220V	1500W	0-600°C	1910×430×210mm	35KG

You Print, We Help!

**Aecfun Commercial Equipment Co., Ltd**

Room 2107, Fuyue Mansion, No.28 Zhonghuan  
West Road, Jiaxing, China.

TEL: 0086-573-82602726 82602776

FAX: 0086-573-82602796

EMAIL: admin@aecfun.com

WEB: www.aecfun.com



[www.aecfun.com](http://www.aecfun.com)